



0%

0%

Patient Name: Cory Wilber MRN #: 8155 Birth Year: Height: Weight: Hypertension: S1 BI-WEEKLY TIME IN RANGE (SYSTOLIC) MONTHLY TIME IN RANGE (SYSTOLIC) QUARTERLY TIME IN RANGE (SYSTOLIC) YEARLY TIME IN RANGE (SYSTOLIC) 0% 100% 0% 100% 0% 0% 0% 0% 100% 0% 0% 100% 0% 0% 0% 0% 0% 0% MONTHLY TIME IN RANGE (DIASTOLIC) YEARLY TIME IN RANGE (DIASTOLIC) BI-WEEKLY TIME IN RANGE (DIASTOLIC) QUARTERLY TIME IN RANGE (DIASTOLIC)

40 Mitchell Ave, Binghamton, NY 13903 Phone:(607) 723-1676

Blood Pressure Averages

0%

Blood Pressure Averages: Weekly

0%

100%

0%

Week	Systolic(n)	Diastolic(n)	Pulse(n)

100%

0%

0%

Blood Pressure Averages: Monthly

100%

0%

0%


0%

100%

0%


0%

0%




Month-Year	Systolic(n)	Diastolic(n)	Pulse(n)
2-2025	137 (1)	92 (1)	89 (1)

Blood Pressure Averages: Quarterly



Quarter-Year	Systolic(n)	Diastolic(n)	Pulse(n)
1-2025	137 (1)	92 (1)	89 (1)
10-2024	0 (0)	0 (0)	0 (0)
7-2024	0 (0)	0 (0)	0 (0)

Blood Pressure Averages: Yearly



Year	Systolic(n)	Diastolic(n)	Pulse(n)
2025	137 (1)	92 (1)	89 (1)
2024	0 (0)	0 (0)	0 (0)

Blood Sugar Averages

Week	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
03-09-2025	128(8)						134(6)
03-01-2025	129(8)		115(2)				131(2)
02-21-2025	136(8)		128(2)				189(3)
02-13-2025	150(9)		156(5)				187(6)

Month-Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
03-2025	127(9)		113(1)				134(6)
02-2025	138(29)		143(9)				177(12)
01-2025	140(31)	154(1)	144(20)	303(1)			157(19)
12-2024	126(32)	147(3)	120(18)	130(2)			144(17)

Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
01-01-2025	137(69)	154(1)	142(30)	303(1)			160(37)
01-01-2024	140(160)	152(12)	127(95)	156(19)	161(3)	195(10)	163(114)

<u>Chat</u>

Sender	Receiver	Messege	Date&Time
R.A. Ramanujan , M.D.	Cory Wilber	-	26-02-2025
Cory Wilber	R.A. Ramanujan , M.D.	I also need mounjaro. Im at 5 mg and would like to go.to 7.5 if okay. I called and talked to Holly and Cathy about it.	26-02-2025
Amy Burpee , MS,RD,CDE	Cory Wilber	Lexi will get the metformin prescription in for you. Keep us posted if you need anything. Good luck with the new job!	26-02-2025

Cory Wilber	R.A. Ramanujan , M.D.	Due to Bassett not allowing me back to work my insurance will be canceled Friday. my new jobs insurance will begin in approximatelya month. Wondering if I could get a 30 or 60 day Rx for metformin. That should carry me through. Thank you.	
Cory Wilber	R.A. Ramanujan , M.D.	Thank y'all sooo much.	13-02-2025
Amy Burpee , MS,RD,CDE	Cory Wilber	We can send in a prescription for the Mounjaro 5mg for you. Keep us posted.	13-02-2025
Cory Wilber	R.A. Ramanujan , M.D.	Since I've got you. No change in nerve pain with Ozempic. Increasing Gabapentin to 300 to see if that helps. Would like to return to Mounjaro 5 mg if possible.	13-02-2025
R.A. Ramanujan , M.D.	Cory Wilber	-	13-02-2025
Cory Wilber	R.A. Ramanujan , M.D.	Didn't eat much.rice though.	13-02-2025
Cory Wilber	R.A. Ramanujan , M.D.	Yessir	13-02-2025
R.A. Ramanujan , M.D.	Cory Wilber	Chines is full of CARB !!	13-02-2025
Cory Wilber	R.A. Ramanujan , M.D.	Good copy Doc. Thank y'all so much.	06-02-2025
R.A. Ramanujan , M.D.	Cory Wilber	Try and let us know	06-02-2025
Cory Wilber	R.A. Ramanujan , M.D.	Feet still feel like they are freezing even though they are warm. No follicle pain. Jardiance is the only other script that I've started prior to these symptoms. Wondering if you'll allow me to stop taking it nd see if symptoms go away?	06-02-2025

Systolic Variability Trends

1. CV –The coefficient of variation (CV) is the ratio of the standard deviation to the mean. The higher the coefficient of variation, the greater the level of dispersion around the mean, Units = mmHg.

2. ARV – Average real variability (ARV) is a method for measuring short-term, reading-to-reading, within-subject variability. It is defined as the average of the absolute differences between consecutive readings, Units = mmHg.

3. SD – Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean), Units = mmHg.

Diastolic Variability Trends

Kalman Trends

Estimate Systolic Actual Systolic Estimate Diastolic Actual Diastolic Actual Diastolic 140 120 100 80 07-01-2024

1. Mean(Arithmetic Mean) – Mean is the average of a set of numbers

2. SD – Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean).


3. V- Variance determines the spread of numbers.. It measures how far each number in the set is from the mean (average) and from every other number in the set.

PSR

	PSR	
1.2		
1.1		
1.0		
07-01-2024		


PSR: Pulse stiffening ratio (PSR) is the ratio between systolic and diastolic stiffness. It can be expressed as PSR = [systolic stiffness]/[diastolic stiffness].

HbA1c Trends



Estimated HbA1c - eHbA1c

Others Trends



		Systolic Average	Pulse Average
92 -			
88	•		
84 -			
1-2	2025		

1. MAP:PP Ratio- Mean Arterial Pressure : Pulse Pressure Ratio

- 2. HASI- Home arterial stiffening index
- 3. HSASI- Home Symmetric arterial stiffening index
- 4. PP- Pulse Pressure

5. WIF or widening factor number. WIF = K-1/In(K)-1, where K is the variability ratio (K = Systolic Std. Dev / Diastolic Std. Dev)

6. eIPP- Elastic component of pulse pressure. eIPP= (PP - stPP)

7. stPP- Stiffening component of pulse pressure. stPP= PP/(1+ WIF)

eCO graph



eCO (Estimated Cardiac Output) Normal range to be added 5 – 10 liters/minute

Units of eCO (Estimated Cardiac Output) - liters/minute

eCBP graph




eCBP (Estimated Central Blood Pressure) normal range $- \ 0 - 100 \ \text{mmHg}$

1. Cardiac output scale is in liters/minute. Normal range at rest is 5-6 liters/min and (with activity goes up to 30 -35 liters/min)

2. Central mean BP is Squared, Mean radial artery BP/diastolic BP in mmHg. Scale in mmHg and range is in mmHg and the scale Should be between 0-50 50-100, 150 and 200 mmHg. No established normal at the moment.

MAP graph



MAP -Mean arterial blood pressure. MAP = Diastolic blood pressure + 1/3(Systolic blood pressure – Diastolic blood pressure)

Reference & Abbreviations

Guide to abbreviations and blood pressure, pulse and other Metrics.

HBPM -Homme blood pressure measurement.	HBS -Home blood sugar		
PP -Pulse pressure	AP -Average pulse		
BPV -Blood pressure variability	SV -Systolic variability		
DV -Diastolic variability	PV -Pulse variability		
ARV -Average real variability	$\ensuremath{\text{CV}}$ -Coefficient of variation $\%$		
SD -Standard deviation	MAP -Mean arterial blood pressure		
MAP: PP Mean Arterial Pressure : Pulse Pressure	HASI -Home arterial stiffness index		
HSASI -Home Symmetric arterial stiffness index	Estimated CO -Cardiac output [CO= (PPxHR)x.002]		
PSR Pulse stiffening ratio. (PSR = SBP/DBP or slope of systolic BP/slope of diastolic BP)			

Estimated central blood pressure ECBP (ECBP = brachial MBP2/brachial DBP or ECBP = radial MBP2/radial DBP)

Normal Ranges.

Systolic BP 110 – 120 mm Hg

Diastolic BP 70 – 80 mmHg

Pulse 60 - 100/min

Pulse pressure (PP) 40 mmHg (Low PP less than 25% of the systolic BP and high PP greater than 100 mm Hg)

Normal stroke volume (SV) 60 -100 ml

Cardiac output (CO) SV x pulse rate/min

Estimate Cardiac output = Stroke volume / m

Blood pressure variability; Not defined in USA. But desirable ranges ESH guidelines; Systolic day time BP less than 15 mmHg and Diastolic less than 7.9 mmHg and Weighted SD less than 12.8 mmHg for systolic

Definitions.

MAP:PP ratio not defined.

Pulse stiffening ration; Not defined. Pulse pressure * inverse log (std. dev. systolic / std. dev. Diastolic) / (std. dev. systolic / std. dev. Diastolic) - 1 (Pulse pressure X In (K)/(K-1) where K is systolic Sd /diastolic SD.)

Home arterial stiffness index; Not defined

Home arterial symmetric arterial index: Not defined.

Central blood pressure:Not defined

References.

MAP;

Chemla D, Antony I, Zamani K, Nitenberg A. Mean aortic pressure is the geometric mean of systolic and diastolic aortic pressure in resting humans. J Appl Physiol (1985). 2005 Dec;99(6):2278-84. doi: 10.1152/japplphysiol.00713.2005. Epub 2005 Jul 28. PMID: 16051709. Tien LYH, Morgan WH, Cringle SJ, Yu DY. Optimal Calculation of Mean Pressure From Pulse Pressure. Am J Hypertens. 2023 May 21;36(6):297-305. doi: 10.1093/ajh/hpad026. PMID: 36945835; PMCID: PMC10200551.

PSR:

Gavish B, Izzo JL Jr. Arterial Stiffness: Going a Step Beyond. Am J Hypertens. 2016 Nov 1;29(11):1223-1233. doi:

10.1093/ajh/hpw061. PMID: 27405964.

DCBP:

Chemla D, Millasseau S, Hamzaoui O, Teboul JL, Monnet X, Michard F, Jozwiak M. New Method to Estimate Central Systolic Blood Pressure From Peripheral Pressure: A Proof of Concept and Validation Study. FrontCardiovasc Med. 2021 Dec 15;8:772613. doi: 10.3389/fcvm.2021.772613. PMID: 34977186; PMCID: PMC8714848.

CO

Koenig J, Hill LK, Williams DP, Thayer JF. Estimating cardiac output from blood pressure and heart rate: the liljestrand& zander formula. Biomed Sci Instrum. 2015;51:85-90. PMID: 25996703; PMCID: PMC5317099.

BP

Mean arterial blood pressure;

Guidelines recommend less than 125 mmHg Poon LC, Shennan A, Hyett JA, Kapur A, Hadar E, Divakar H, McAuliffe F, da Silva Costa F, von Dadelszen P, McIntyre HD, Kihara AB, Di Renzo GC, Romero R, D'Alton M, Berghella V, Nicolaides KH, Hod M. The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: a pragmatic guide for first-trimester screening and prevention. Int J

GynaecolObstet 2019;

145(Suppl 1):1–33.Not defined in general (desirable MAP ,90 mm Hg)Melgarejo JD, Yang WY, Thijs L, Li Y, Asayama K, Hansen TW, Wei FF, Kikuya M, Ohkubo T, Dolan E, Stolarz-Skrzypek K, Huang QF, Tikhonoff V, Malyutina S, Casiglia E, Lind L, Sandoya E, Filipovský J, Gilis-Malinowska N, Narkiewicz K, Kawecka-Jaszcz K, Boggia J, Wang JG, Imai Y, Vanassche T, Verhamme P, Janssens S, O`Brien E, Maestre GE, Staessen JA, Zhang ZY; International Database on Ambulatory Blood Pressure in Relation to Cardiovascular Outcome Investigators*. Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure. Hypertension. 2021 Jan;77(1):39-48

We hope these complementary multiparametric data along with standard set used in daily practice helps to understand home blood pressure trend andother information they may potentially generate in the future to understand medication effects and patient management.

Terms & Conditions Accepted: YES

Attention:

This electronic pdf file contain information intended for the exclusive use of the individual or entity.