



40 Mitchell Ave, Binghamton, NY 13903 Phone:(607) 723-1676

Patient Name: Leonard Parrow
Height: 5.10

MRN #: 7835
Weight: 170


Birth Year:
Hypertension: S1



0% 0% 0% 0% 100%



0% 0% 0% 5.36% 94.64%



1% 3% 1% 4% 91%




0.95% 2.86% 0.95% 3.81% 91.43%



0% 0% 82.76% 17.24%



0% 1.79% 83.93% 14.29%



0% 6% 82% 12%




0% 5.71% 82.86% 11.43%

Blood Pressure Averages

Blood Pressure Averages: Weekly


Week	Systolic(n)	Diastolic(n)	Pulse(n)
------	-------------	--------------	----------

Blood Pressure Averages: Monthly




Month-Year	Systolic(n)	Diastolic(n)	Pulse(n)
2-2025	110 (44)	64 (44)	55 (44)
1-2025	114 (50)	67 (50)	58 (50)
2-2024	128 (6)	74 (6)	55 (6)
1-2024	113 (4)	68 (4)	54 (4)

Blood Pressure Averages: Quarterly



Quarter-Year	Systolic(n)	Diastolic(n)	Pulse(n)
1-2025	112 (94)	66 (94)	56 (94)
1-2024	128 (6)	74 (6)	55 (6)
10-2023	113 (4)	68 (4)	54 (4)
1-2023	0 (0)	0 (0)	0 (0)

Blood Pressure Averages: Yearly



Year	Systolic(n)	Diastolic(n)	Pulse(n)
2025	112 (94)	66 (94)	56 (94)
2024	118 (32)	74 (32)	54 (32)
2023	124 (229)	76 (229)	57 (229)
2022	0 (0)	0 (0)	0 (0)

Blood Sugar Averages


Week	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
03-09-2025	152(2)		182(6)		183(6)		196(5)
03-01-2025	195(8)		173(5)		166(7)		212(4)
02-21-2025	168(6)		222(5)		191(8)		223(7)
02-13-2025	196(9)		252(7)		205(6)		259(7)

Month-Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
03-2025	168(3)		182(6)		179(7)		193(6)
02-2025	186(28)		221(21)		199(25)		248(22)
01-2025	277(3)				284(3)		358(3)

Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
01-01-2025	192(34)		212(27)		202(35)		248(31)
01-01-2024	148(63)			330(1)			151(33)
01-01-2023	173(4)	122(24)		120(1)		188(1)	

Chat

Sender	Receiver	Message	Date&Time
R.A. Ramanujan , M.D.	Leonard Parrow		01-03-2025
Leonard Parrow	R.A. Ramanujan , M.D.	dad wanted you to know the last reading is high due to what he had for dinner	28-02-2025
R.A. Ramanujan , M.D.	Leonard Parrow	Good judgment 👍 5 is 🔥	25-02-2025

Leonard Parrow	R.A. Ramanujan , M.D.	Hi Dr Ram. This is Angela up north. Dad is with for a while. His sugar dropped in the night the last 2 nights. His eating is good and has been a little more active. Im trying to get him to eat between meal snacks especially at night. He takes 10.units insulin at night. Should he take 5 instead?	25-02-2025
R.A. Ramanujan , M.D.	Leonard Parrow	Hello Leonard, Hope, you can keep it in control as it has bee the last few days. Best	21-02-2025
Leonard Parrow	R.A. Ramanujan , M.D.	ok 7pm - 9pm	14-02-2025
R.A. Ramanujan , M.D.	Leonard Parrow	Yes please 8 - 10 units and will call this evening (Time?)	14-02-2025
Leonard Parrow	R.A. Ramanujan , M.D.	223 at 7am he took 10 units shoukd he take more	14-02-2025
Leonard Parrow	R.A. Ramanujan , M.D.	hes taking 5 at bedtime i think he will agree to do whatever you think is best in regards to the short acting	13-02-2025
R.A. Ramanujan , M.D.	Leonard Parrow	Bed time is too high!!	13-02-2025
R.A. Ramanujan , M.D.	Leonard Parrow	He needs to consider less long acting at bed time. No more than 5 units and may need short acting at dinner time. Please try to convince and respond. Best	11-02-2025
Leonard Parrow	R.A. Ramanujan , M.D.	GM Dads sugar Sunday was 269 before lunch & 299 Before Bed so he took 20 units Yesterday his numbers were 263 Before Breakfast 245 Before lunch 156 before dinner and 211 before bed so ladt night he took 10 units at bedtime At 1:15 am he crashed to 55 He drank OJ and ate 2 small candy bars At 6:30 this am before breakfast his sugar was 153 He took 5 this am His cough is getting much better so I gthink his body is back to respondingbetter to the insulin	11-02-2025
R.A. Ramanujan , M.D.	Leonard Parrow		10-02-2025
Leonard Parrow	R.A. Ramanujan , M.D.	GM Dad has already taken his insulin this am He took 20 this am He thought he should because he has just been sitting around and ate more yesterday than hes been as far as bread and sweets go so this am his sugar was 263 Not much activity either this time of year due to weather other than occasionalshoveling	10-02-2025
R.A. Ramanujan , M.D.	Leonard Parrow	Will you try 2 units extra AM and PM ??	10-02-2025

Systolic Variability Trends


1. CV –The coefficient of variation (CV) is the ratio of the standard deviation to the mean. The higher the coefficient of variation, the greater the level of dispersion around the mean, Units = mmHg.

2. ARV – Average real variability (ARV) is a method for measuring short-term, reading-to-reading, within-subject variability. It is defined as the average of the absolute differences between consecutive readings, Units = mmHg.

3. SD – Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean), Units = mmHg.

Diastolic Variability Trends

Kalman Trends



1. Mean(Arithmetic Mean) – Mean is the average of a set of numbers

2. SD – Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean).


3. V- Variance determines the spread of numbers.. It measures how far each number in the set is from the mean (average) and from every other number in the set.

PSR





PSR: Pulse stiffening ratio (PSR) is the ratio between systolic and diastolic stiffness. It can be expressed as $PSR = \frac{[systolic\ stiffness]}{[diastolic\ stiffness]}$.






HbA1c Trends



Estimated HbA1c - eHbA1c

Others Trends





1. **MAP:PP Ratio**- Mean Arterial Pressure : Pulse Pressure Ratio

2. **HASI**- Home arterial stiffening index

3. **HSASI**- Home Symmetric arterial stiffening index

4. **PP**- Pulse Pressure

5. **WIF or widening factor number. WIF** = $K-1/\ln(K)-1$, where K is the variability ratio ($K = \text{Systolic Std. Dev} / \text{Diastolic Std. Dev}$)

6. **eIPP**- Elastic component of pulse pressure. $eIPP = (PP - stPP)$

7. **stPP**- Stiffening component of pulse pressure. $stPP = PP / (1 + WIF)$

eCO graph




eCO (Estimated Cardiac Output) Normal range to be added 5 – 10 liters/minute

Units of eCO (Estimated Cardiac Output) – liters/minute

eCBP graph


eCBP (Estimated Central Blood Pressure) normal range – 0 – 100 mmHg

1. Cardiac output scale is in liters/minute. Normal range at rest is 5-6 liters/min and (with activity goes up to 30 -35 liters/min)



2. Central mean BP is Squared, Mean radial artery BP/diastolic BP in mmHg. Scale in mmHg and range is in mmHg and the scale Should be between 0-50 50-100, 150 and 200 mmHg. No established normal at the moment.

MAP graph



MAP -Mean arterial blood pressure. MAP = Diastolic blood pressure + 1/3(Systolic blood pressure – Diastolic blood pressure)

Reference & Abbreviations

Guide to abbreviations and blood pressure, pulse and other Metrics.

HBPM -Home blood pressure measurement.	HBS -Home blood sugar
PP -Pulse pressure	AP -Average pulse
BPV -Blood pressure variability	SV -Systolic variability
DV -Diastolic variability	PV -Pulse variability
ARV -Average real variability	CV -Coefficient of variation %
SD -Standard deviation	MAP -Mean arterial blood pressure
MAP: PP Mean Arterial Pressure : Pulse Pressure	HASI -Home arterial stiffness index
HSASI -Home Symmetric arterial stiffness index	Estimated CO -Cardiac output [CO= (PPxHR)x.002]
PSR Pulse stiffening ratio. (PSR = SBP/DBP or slope of systolic BP/slope of diastolic BP)	

Estimated central blood pressure ECBP (ECBP = brachial MBP2/brachial DBP or ECBP = radial MBP2/radial DBP)

Normal Ranges.

Systolic BP 110 – 120 mm Hg

Diastolic BP 70 – 80 mmHg

Pulse 60 - 100/min

Pulse pressure (PP) 40 mmHg (Low PP less than 25% of the systolic BP and high PP greater than 100 mm Hg)

Normal stroke volume (SV) 60 -100 ml

Cardiac output (CO) SV x pulse rate/min

Estimate Cardiac output = Stroke volume / m

Blood pressure variability; Not defined in USA. But desirable ranges ESH guidelines; Systolic day time BP less than 15 mmHg and Diastolic less than 7.9 mmHg and Weighted SD less than 12.8 mmHg for systolic

Definitions.

MAP:PP ratio not defined.

Pulse stiffening ration; Not defined. Pulse pressure * inverse log (std. dev. systolic / std. dev. Diastolic) / (std. dev. systolic / std. dev. Diastolic) - 1 (Pulse pressure X ln (K)/(K-1) where K is systolic Sd /diastolic SD.)

Home arterial stiffness index; Not defined

Home arterial symmetric arterial index: Not defined.

Central blood pressure:Not defined

References.

MAP;
Chemla D, Antony I, Zamani K, Nitenberg A. Mean aortic pressure is the geometric mean of systolic and diastolic aortic pressure in resting humans. *J Appl Physiol* (1985). 2005 Dec;99(6):2278-84. doi: 10.1152/jappphysiol.00713.2005. Epub 2005 Jul 28. PMID: 16051709. Tien LYH, Morgan WH, Cringle SJ, Yu DY. Optimal Calculation of Mean Pressure From Pulse Pressure. *Am J Hypertens*. 2023 May 21;36(6):297-305. doi: 10.1093/ajh/hpad026. PMID: 36945835; PMCID: PMC10200551.

PSR:

Gavish B, Izzo JL Jr. Arterial Stiffness: Going a Step Beyond. *Am J Hypertens*. 2016 Nov 1;29(11):1223-1233. doi: 10.1093/ajh/hpw061. PMID: 27405964.

DCBP:

Chemla D, Millasseau S, Hamzaoui O, Teboul JL, Monnet X, Michard F, Jozwiak M. New Method to Estimate Central Systolic Blood Pressure From Peripheral Pressure: A Proof of Concept and Validation Study. *Front Cardiovasc Med*. 2021 Dec 15;8:772613. doi: 10.3389/fcvm.2021.772613. PMID: 34977186; PMCID: PMC8714848.

CO

Koenig J, Hill LK, Williams DP, Thayer JF. Estimating cardiac output from blood pressure and heart rate: the ilijstrand& zander formula. *Biomed Sci Instrum*. 2015;51:85-90. PMID: 25996703; PMCID: PMC5317099.

BP

Mean arterial blood pressure;
Guidelines recommend less than 125 mmHg Poon LC, Shennan A, Hyett JA, Kapur A, Hadar E, Divakar H, McAuliffe F, da Silva Costa F, von Dadelszen P, McIntyre HD, Kihara AB, Di Renzo GC, Romero R, D'Alton M, Berghella V, Nicolaides KH, Hod M. The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: a pragmatic guide for first-trimester screening and prevention. *Int J*

GynaecolObstet 2019;

145(Suppl 1):1–33.Not defined in general (desirable MAP ,90 mm Hg)Melgarejo JD, Yang WY, Thijs L, Li Y, Asayama K, Hansen TW, Wei FF, Kikuya M, Ohkubo T, Dolan E, Stolarz-Skrzypek K, Huang QF, Tikhonoff V, Malyutina S, Casiglia E, Lind L, Sandoya E, Filipovský J, Gilis-Malinowska N, Narkiewicz K, Kawecka-Jaszcz K, Boggia J, Wang JG, Imai Y, Vanassche T, Verhamme P, Janssens S, O'Brien E, Maestre GE, Staessen JA, Zhang ZY; International Database on Ambulatory Blood Pressure in Relation to Cardiovascular Outcome Investigators*. Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure. *Hypertension*. 2021 Jan;77(1):39-48

We hope these complementary multiparametric data along with standard set used in daily practice helps to understand home blood pressure trend and other information they may potentially generate in the future to understand medication effects and patient management.

Terms & Conditions Accepted: YES

Attention:

This electronic pdf file contain information intended for the exclusive use of the individual or entity.