



2.44%

#### Patient Name: Spencer Bell MRN #: 6459 **Birth Year:** Height: 5.2 Weight: 170 Hypertension: S1 BI-WEEKLY TIME IN RANGE (SYSTOLIC) MONTHLY TIME IN RANGE (SYSTOLIC) QUARTERLY TIME IN RANGE (SYSTOLIC) YEARLY TIME IN RANGE (SYSTOLIC) 100% 0% 100% 70.73 % 19.51% 2.44% 0% 0% 0% 0% 0% 0% 100% 0% 0% 0% 0% 4 88% BI-WEEKLY TIME IN RANGE (DIASTOLIC) MONTHLY TIME IN RANGE (DIASTOLIC) QUARTERLY TIME IN RANGE (DIASTOLIC) YEARLY TIME IN RANGE (DIASTOLIC)

40 Mitchell Ave, Binghamton, NY 13903 Phone:(607) 723-1676

**Blood Pressure Averages** 

0%

**Blood Pressure Averages: Weekly** 

100%

0%

0%

Week	Systolic(n)	Diastolic(n)	Pulse(n)

78.05%

14.63%

2.44%

0%

# **Blood Pressure Averages: Monthly**

0%

0%

100%


0%

0%

0%


100%

0%




Month-Year	Systolic(n)	Diastolic(n)	Pulse(n)
7-2024	106 (1)	61 (1)	66 (1)
6-2024	148 (3)	90 (3)	65 (3)
10-2023	143 (14)	87 (14)	66 (14)

# **Blood Pressure Averages: Quarterly**



Quarter-Year	Systolic(n)	Diastolic(n)	Pulse(n)
7-2024	106 (1)	61 (1)	66 (1)
4-2024	144 (17)	87 (17)	66 (17)
10-2023	0 (0)	0 (0)	0 (0)
7-2023	0 (0)	0 (0)	0 (0)
4-2023	0 (0)	0 (0)	0 (0)
1-2023	0 (0)	0 (0)	0 (0)
10-2022	0 (0)	0 (0)	0 (0)
7-2022	0 (0)	0 (0)	0 (0)

# **Blood Pressure Averages: Yearly**



Year	Systolic(n)	Diastolic(n)	Pulse(n)
2024	106 (1)	61 (1)	66 (1)
2023	145 (123)	87 (123)	67 (123)
2022	159 (20)	95 (20)	73 (20)
2020	0 (0)	0 (0)	0 (0)

# **Blood Sugar Averages**

Week	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
09-01-2024	127(1)				76(1)		149(2)
08-24-2024	102(1)		121(4)		109(8)		122(3)
08-16-2024	111(2)		130(3)		121(3)		101(4)
08-08-2024	129(1)		143(1)				207(1)

Month-Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
08-2024	116(5)		127(8)		109(12)		128(10)
07-2024	164(19)		151(22)		143(23)		155(18)
06-2024	190(23)	210(1)	197(11)		193(19)		215(13)

Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
01-01-2024	172(47)	210(1)	159(41)		153(54)		168(41)
01-01-2023	146(42)	136(46)	153(22)	127(20)	142(1)		
01-01-2022		147(87)	264(1)	141(44)	161(6)	121(17)	194(3)

## <u>Chat</u>

Sender	Receiver	Messege	Date&Time
Spencer Bell	R.A. Ramanujan , M.D.	thanks your the best!	26-08-2024
R.A. Ramanujan , M.D.	Spencer Bell	Rx sent	26-08-2024

Spencer Bell	R.A. Ramanujan , M.D.	thanks!	14-08-2024
R.A. Ramanujan , M.D.	Spencer Bell	Great ! as we make changes hope to decrease insulin. Keep up the good work. Best.	14-08-2024
Spencer Bell	R.A. Ramanujan , M.D.	it shows 100% on target for the last 24 hours!	13-08-2024
Spencer Bell	R.A. Ramanujan , M.D.	Thats what i was told. Thanks Doc! Enjoy what remains of your Sunday. Im off to Long Island for two weeks of work.	07-07-2024
R.A. Ramanujan , M.D.	Spencer Bell	Humalog/Fiasp/Novolog/Lyumjev are similar.	07-07-2024
Spencer Bell	R.A. Ramanujan , M.D.	insurance company switched me to NovoLog	07-07-2024
Spencer Bell	R.A. Ramanujan , M.D.	Happy 4th of July!	03-07-2024
R.A. Ramanujan , M.D.	Spencer Bell	Happy July 4!	03-07-2024
R.A. Ramanujan , M.D.	Spencer Bell	Happy July 4	03-07-2024
Spencer Bell	R.A. Ramanujan , M.D.	yes Sir!	02-07-2024
R.A. Ramanujan , M.D.	Spencer Bell	Please be attentive to diet	02-07-2024
Spencer Bell	R.A. Ramanujan , M.D.	so true	02-07-2024

**Systolic Variability Trends** 


**1. CV** –The coefficient of variation (CV) is the ratio of the standard deviation to the mean. The higher the coefficient of variation, the greater the level of dispersion around the mean, Units = mmHg.

**2. ARV** – Average real variability (ARV) is a method for measuring short-term, reading-to-reading, within-subject variability. It is defined as the average of the absolute differences between consecutive readings, Units = mmHg.

**3. SD** – Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean), Units = mmHg.

## **Diastolic Variability Trends**

## Kalman Trends



**1. Mean(Arithmetic Mean)** – Mean is the average of a set of numbers

**2. SD** – Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean).


**3.** V- Variance determines the spread of numbers.. It measures how far each number in the set is from the mean (average) and from every other number in the set.

### **PSR**




**PSR:** Pulse stiffening ratio (PSR) is the ratio between systolic and diastolic stiffness. It can be expressed as PSR = [systolic stiffness]/[diastolic stiffness].

## **HbA1c Trends**



### Estimated HbA1c - eHbA1c

# **Others Trends**




0.8


0.4







5-2024



1. MAP:PP Ratio- Mean Arterial Pressure : Pulse Pressure Ratio

2. HASI- Home arterial stiffening index

9-2023

- **3. HSASI** Home Symmetric arterial stiffening index
- 4. PP- Pulse Pressure

**5. WIF or widening factor number. WIF** = K-1/In(K)-1, where K is the variability ratio (K = Systolic Std. Dev / Diastolic Std. Dev)

- 6. eIPP- Elastic component of pulse pressure. eIPP= (PP stPP)
- 7. stPP- Stiffening component of pulse pressure. stPP= PP/(1+ WIF)

### eCO graph



eCO (Estimated Cardiac Output) Normal range to be added 5 - 10 liters/minute

Units of eCO (Estimated Cardiac Output) - liters/minute

## eCBP graph



eCBP (Estimated Central Blood Pressure) normal range  $- \ 0 - 100 \ \text{mmHg}$ 

1. Cardiac output scale is in liters/minute. Normal range at rest is 5-6 liters/min and (with activity goes up to 30 -35 liters/min)

2. Central mean BP is Squared, Mean radial artery BP/diastolic BP in mmHg. Scale in mmHg and range is in mmHg and the scale Should be between 0-50 50-100, 150 and 200 mmHg. No established normal at the moment.

## **MAP graph**



MAP -Mean arterial blood pressure. MAP = Diastolic blood pressure + 1/3(Systolic blood pressure – Diastolic blood pressure)

### **Reference & Abbreviations**

Guide to abbreviations and blood pressure, pulse and other Metrics.

HBPM -Homme blood pressure measurement.	HBS -Home blood sugar
PP -Pulse pressure	AP -Average pulse
BPV -Blood pressure variability	SV -Systolic variability
DV -Diastolic variability	<b>PV</b> -Pulse variability
ARV -Average real variability	CV -Coefficient of variation %

SD -Standard deviation	MAP -Mean arterial blood pressure
MAP: PP Mean Arterial Pressure : Pulse Pressure	HASI -Home arterial stiffness index
HSASI -Home Symmetric arterial stiffness index	Estimated CO -Cardiac output [CO= (PPxHR)x.002]
<b>PSR Pulse stiffening ratio.</b> (PSR = SBP/DBP or slope of systolic BP/slope of diastolic BP)	

Estimated central blood pressure ECBP (ECBP = brachial MBP2/brachial DBP or ECBP = radial MBP2/radial DBP)

### Normal Ranges.

Systolic BP 110 - 120 mm Hg

Diastolic BP 70 – 80 mmHg

Pulse 60 - 100/min

Pulse pressure (PP) 40 mmHg (Low PP less than 25% of the systolic BP and high PP greater than 100 mm Hg)

Normal stroke volume (SV) 60 -100 ml

Cardiac output (CO) SV x pulse rate/min

Estimate Cardiac output = Stroke volume / m

Blood pressure variability; Not defined in USA. But desirable ranges ESH guidelines; Systolic day time BP less than 15 mmHg and Diastolic less than 7.9 mmHg and Weighted SD less than 12.8 mmHg for systolic

### **Definitions.**

MAP:PP ratio not defined.

Pulse stiffening ration; Not defined. Pulse pressure \* inverse log ( std. dev. systolic / std. dev. Diastolic) / (std. dev. systolic / std. dev. Diastolic) - 1 (Pulse pressure X In (K)/(K-1) where K is systolic Sd /diastolic SD.)

Home arterial stiffness index; Not defined

Home arterial symmetric arterial index: Not defined.

Central blood pressure:Not defined

#### **References.**

MAP;

Chemla D, Antony I, Zamani K, Nitenberg A. Mean aortic pressure is the geometric mean of systolic and diastolic aortic pressure in resting humans. J Appl Physiol (1985). 2005 Dec;99(6):2278-84. doi: 10.1152/japplphysiol.00713.2005. Epub 2005 Jul 28. PMID: 16051709. Tien LYH, Morgan WH, Cringle SJ, Yu DY. Optimal Calculation of Mean Pressure From Pulse Pressure. Am J Hypertens. 2023 May 21;36(6):297-305. doi: 10.1093/ajh/hpad026. PMID: 36945835; PMCID: PMC10200551.

#### PSR:

Gavish B, Izzo JL Jr. Arterial Stiffness: Going a Step Beyond. Am J Hypertens. 2016 Nov 1;29(11):1223-1233. doi: 10.1093/ajh/hpw061. PMID: 27405964.

#### DCBP:

Chemla D, Millasseau S, Hamzaoui O, Teboul JL, Monnet X, Michard F, Jozwiak M. New Method to Estimate Central Systolic Blood Pressure From Peripheral Pressure: A Proof of Concept and Validation Study. FrontCardiovasc Med. 2021 Dec 15;8:772613. doi: 10.3389/fcvm.2021.772613. PMID: 34977186; PMCID: PMC8714848.

### CO

Koenig J, Hill LK, Williams DP, Thayer JF. Estimating cardiac output from blood pressure and heart rate: the liljestrand& zander formula. Biomed Sci Instrum. 2015;51:85-90. PMID: 25996703; PMCID: PMC5317099.

### BP

Mean arterial blood pressure; Guidelines recommend less than 125 mmHg Poon LC, Shennan A, Hyett JA, Kapur A, Hadar E, Divakar H, McAuliffe F, da Silva Costa F, von Dadelszen P, McIntyre HD, Kihara AB, Di Renzo GC, Romero R, D'Alton M, Berghella V, Nicolaides KH, Hod M. The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: a pragmatic guide for first-trimester screening and prevention. Int J

### GynaecolObstet 2019;

145(Suppl 1):1–33.Not defined in general (desirable MAP ,90 mm Hg)Melgarejo JD, Yang WY, Thijs L, Li Y, Asayama K, Hansen TW, Wei FF, Kikuya M, Ohkubo T, Dolan E, Stolarz-Skrzypek K, Huang QF, Tikhonoff V, Malyutina S, Casiglia E, Lind L, Sandoya E, Filipovský J, Gilis-Malinowska N, Narkiewicz K, Kawecka-Jaszcz K, Boggia J, Wang JG, Imai Y, Vanassche T, Verhamme P, Janssens S, O`Brien E, Maestre GE, Staessen JA, Zhang ZY; International Database on Ambulatory Blood Pressure in Relation to Cardiovascular Outcome Investigators\*. Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure. Hypertension. 2021 Jan;77(1):39-48

We hope these complementary multiparametric data along with standard set used in daily practice helps to understand home blood pressure trend andother information they may potentially generate in the future to understand medication effects and patient management.

### **Terms & Conditions Accepted: YES**

### **Attention:**

This electronic pdf file contain information intended for the exclusive use of the individual or entity.