





40 Mitchell Ave, Binghamton, NY 13903 Phone: (607) 723-1676


Patient Name: Stephen Northrup


Height:

MRN #: 8001 Weight: Birth Year: Hypertension: S1











Blood Pressure Averages

Blood Pressure Averages: Weekly




Week	Systolic(n)	Diastolic(n)	Pulse(n)
03-02-2025	132 (3)	76 (3)	60 (3)
02-23-2025	124 (3)	73 (3)	62 (3)
02-16-2025	123 (4)	75 (4)	58 (4)
02-09-2025	128 (2)	75 (2)	59 (2)
02-02-2025	126 (6)	76 (6)	64 (6)
01-26-2025	128 (4)	76 (4)	66 (4)
01-19-2025	130 (6)	75 (6)	65 (6)
01-12-2025	126 (2)	72 (2)	59 (2)
01-05-2025	119 (1)	79 (1)	63 (1)
12-29-2024	133 (1)	76 (1)	63 (1)
12-22-2024	124 (1)	72 (1)	64 (1)
12-15-2024	124 (2)	73 (2)	60 (2)

Blood Pressure Averages: Monthly




Month-Year	Systolic(n)	Diastolic(n)	Pulse(n)
2-2025	126 (16)	75 (16)	62 (16)
1-2025	128 (13)	75 (13)	64 (13)
12-2024	125 (8)	75 (8)	59 (8)
11-2024	124 (4)	72 (4)	60 (4)
10-2024	121 (10)	72 (10)	60 (10)
9-2024	126 (19)	74 (19)	59 (19)
8-2024	130 (13)	76 (13)	61 (13)
7-2024	117 (6)	71 (6)	62 (6)
6-2024	119 (13)	73 (13)	63 (13)
5-2024	119 (12)	73 (12)	68 (12)
4-2024	122 (15)	73 (15)	61 (15)
3-2024	126 (25)	76 (25)	60 (25)

Blood Pressure Averages: Quarterly



Quarter-Year	Systolic(n)	Diastolic(n)	Pulse(n)
1-2025	127 (29)	75 (29)	63 (29)
10-2024	123 (22)	73 (22)	59 (22)
7-2024	126 (38)	74 (38)	60 (38)
4-2024	120 (40)	73 (40)	64 (40)
1-2024	129 (71)	77 (71)	59 (71)
10-2023	137 (75)	81 (75)	64 (75)
7-2023	145 (40)	81 (40)	69 (40)

Blood Pressure Averages: Yearly



Year	Systolic(n)	Diastolic(n)	Pulse(n)
2025	127 (29)	75 (29)	63 (29)
2024	126 (171)	75 (171)	61 (171)
2023	140 (115)	81 (115)	65 (115)

Blood Sugar Averages

Week	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
03-09-2025	120(1)				96(2)		
03-01-2025	116(2)		98(1)				
02-21-2025	114(3)						
02-13-2025	114(3)						

Month-Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
03-2025	120(1)				96(2)		
02-2025	114(8)		98(1)		104(1)		


01-2025	116(4)	110(2)	104(1)	109(2)	99(4)	
12-2024	124(8)	96(2)	113(2)		99(1)	112(1)

Year	Before breakfast	2 hours after breakfast	Before lunch	2 hours after lunch	Before dinner	2 hours after dinner	Bedtime
01-01-2025	115(13)	110(2)	101(2)	109(2)	99(7)		
01-01-2024	120(142)	108(6)	105(9)	119(4)	105(9)	107(2)	112(1)
01-01-2023	123(97)	208(6)	131(7)	164(2)	110(6)	153(1)	161(1)

Chat


Sender	Receiver	Messege			
R.A. Ramanujan , M.D.	Stephen Northrup	•			
Stephen Northrup	R.A. Ramanujan , M.D.	Current dosage is 20 mg. I will increase to 40 mg by taking an additional 20 mg pill as needed for a total of 40 mg. Thank you.			
R.A. Ramanujan , M.D.	Stephen Northrup	Your thinking is in the right direction. Increase Pepcid if no better go back to Omeprazole. Once better teach us how you plan to juggle. Best	18-02-2025		
Stephen Northrup	R.A. Ramanujan , M.D.	Evening Dr. Ram. During our visit on 1/16, you recommended I discontinue use of Omeprazole which I had been on for some time and start using Pepcid instead. Unfortunately I have to report that my stomach acid and some bloating has reared its head again. No discomfort in my esophagus but normally in the stomach generally after eating. Same feeling I would get if I failed to to take my omeprazole for a day or two. wondering if the Pepcid isn't quite strong enough and if so, can you recommend something else similar to the Omeprazole which gave me relief. Gastrolagist just said I had an overly acidic stomach and Prescribed the Omeprazole. No mention of long term use. Thanks.	17-02-2025		

Systolic Variability Trends




- **1. CV** –The coefficient of variation (CV) is the ratio of the standard deviation to the mean. The higher the coefficient of variation, the greater the level of dispersion around the mean, Units = mmHg.
- **2.** ARV Average real variability (ARV) is a method for measuring short-term, reading-to-reading, within-subject variability. It is defined as the average of the absolute differences between consecutive readings, Units = mmHg.
- **3. SD** Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean), Units = mmHg.

Diastolic Variability Trends



Kalman Trends




- **1.** Mean(Arithmetic Mean) Mean is the average of a set of numbers
- **2. SD** Standard deviation is a statistical measurement of variability. It measures how much variation there is from the average (mean).
- **3.** V- Variance determines the spread of numbers.. It measures how far each number in the set is from the mean (average) and from every other number in the set.

PSR




PSR: Pulse stiffening ratio (PSR) is the ratio between systolic and diastolic stiffness. It can be expressed as PSR = [systolic stiffness]/[diastolic stiffness].


HbA1c Trends



Estimated HbA1c - eHbA1c


Others Trends





- 1. MAP:PP Ratio- Mean Arterial Pressure : Pulse Pressure Ratio
- 2. HASI- Home arterial stiffening index
- 3. HSASI- Home Symmetric arterial stiffening index
- 4. PP- Pulse Pressure
- **5. WIF or widening factor number. WIF** = K-1/In(K)-1, where K is the variability ratio (K = Systolic Std. Dev / Diastolic Std. Dev)
- 6. eIPP- Elastic component of pulse pressure. eIPP= (PP stPP)
- 7. stPP- Stiffening component of pulse pressure. stPP= PP/(1+ WIF)

eCO graph



eCO (Estimated Cardiac Output) Normal range to be added 5-10 liters/minute

Units of eCO (Estimated Cardiac Output) - liters/minute

eCBP graph

eCBP (Estimated Central Blood Pressure) normal range -0-100 mmHg

1. Cardiac output scale is in liters/minute. Normal range at rest is 5-6 liters/min and (with activity goes up to 30 -35 liters/min)



2. Central mean BP is Squared, Mean radial artery BP/diastolic BP in mmHg. Scale in mmHg and range is in mmHg and the scale Should be between 0-50 50-100, 150 and 200 mmHg. No established normal at the moment.

MAP graph



MAP -Mean arterial blood pressure. MAP = Diastolic blood pressure + 1/3(Systolic blood pressure – Diastolic blood pressure)

Reference & Abbreviations

Guide to abbreviations and blood pressure, pulse and other Metrics.

HBPM -Homme blood pressure measurement.	HBS -Home blood sugar		
PP -Pulse pressure	AP -Average pulse		
BPV -Blood pressure variability	SV -Systolic variability		
DV -Diastolic variability	PV -Pulse variability		
ARV -Average real variability	CV -Coefficient of variation %		
SD -Standard deviation	MAP -Mean arterial blood pressure		
MAP: PP Mean Arterial Pressure : Pulse Pressure	HASI -Home arterial stiffness index		
HSASI -Home Symmetric arterial stiffness index	Estimated CO -Cardiac output [CO= (PPxHR)x.002]		
PSR Pulse stiffening ratio. (PSR = SBP/DBP or slope of systolic BP/slope of diastolic BP)			

Estimated central blood pressure ECBP (ECBP = brachial MBP2/brachial DBP or ECBP = radial MBP2/radial DBP)

Normal Ranges.

Systolic BP 110 - 120 mm Hg

Diastolic BP 70 - 80 mmHg

Pulse 60 - 100/min

Pulse pressure (PP) 40 mmHg (Low PP less than 25% of the systolic BP and high PP greater than 100 mm Hg)

Normal stroke volume (SV) 60 -100 ml

Cardiac output (CO) SV x pulse rate/min

Estimate Cardiac output = Stroke volume / m

Blood pressure variability; Not defined in USA. But desirable ranges ESH guidelines; Systolic day time BP less than 15 mmHg and Diastolic less than 7.9 mmHg and Weighted SD less than 12.8 mmHg for systolic

Definitions.

MAP:PP ratio not defined.

Pulse stiffening ration; Not defined. Pulse pressure * inverse log (std. dev. systolic / std. dev. Diastolic) / (std. dev. systolic / std. dev. Diastolic) - 1 (Pulse pressure X In (K)/(K-1) where K is systolic Sd /diastolic SD.)

Home arterial stiffness index; Not defined

Home arterial symmetric arterial index: Not defined.

Central blood pressure: Not defined

References.

MAP;

Chemla D, Antony I, Zamani K, Nitenberg A. Mean aortic pressure is the geometric mean of systolic and diastolic aortic pressure in resting humans. J Appl Physiol (1985). 2005 Dec;99(6):2278-84. doi: 10.1152/japplphysiol.00713.2005. Epub 2005 Jul 28. PMID: 16051709. Tien LYH, Morgan WH, Cringle SJ, Yu DY. Optimal Calculation of Mean Pressure From Pulse Pressure. Am J Hypertens. 2023 May 21;36(6):297-305. doi: 10.1093/ajh/hpad026. PMID: 36945835; PMCID: PMC10200551.

PSR:

Gavish B, Izzo JL Jr. Arterial Stiffness: Going a Step Beyond. Am J Hypertens. 2016 Nov 1;29(11):1223-1233. doi: 10.1093/ajh/hpw061. PMID: 27405964.

DCBP:

Chemla D, Millasseau S, Hamzaoui O, Teboul JL, Monnet X, Michard F, Jozwiak M. New Method to Estimate Central Systolic Blood Pressure From Peripheral Pressure: A Proof of Concept and Validation Study. FrontCardiovasc Med. 2021 Dec 15;8:772613. doi: 10.3389/fcvm.2021.772613. PMID: 34977186; PMCID: PMC8714848.

CO

Koenig J, Hill LK, Williams DP, Thayer JF. Estimating cardiac output from blood pressure and heart rate: the liljestrand& zander formula. Biomed Sci Instrum. 2015;51:85-90. PMID: 25996703; PMCID: PMC5317099.

BP

Mean arterial blood pressure;

Guidelines recommend less than 125 mmHg Poon LC, Shennan A, Hyett JA, Kapur A, Hadar E, Divakar H, McAuliffe F, da Silva Costa F, von Dadelszen P, McIntyre HD, Kihara AB, Di Renzo GC, Romero R, D'Alton M, Berghella V, Nicolaides KH, Hod M. The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: a pragmatic guide for first-trimester screening and prevention. Int J

GynaecolObstet 2019;

145(Suppl 1):1–33.Not defined in general (desirable MAP ,90 mm Hg)Melgarejo JD, Yang WY, Thijs L, Li Y, Asayama K, Hansen TW, Wei FF, Kikuya M, Ohkubo T, Dolan E, Stolarz-Skrzypek K, Huang QF, Tikhonoff V, Malyutina S, Casiglia E, Lind L, Sandoya E, Filipovský J, Gilis-Malinowska N, Narkiewicz K, Kawecka-Jaszcz K, Boggia J, Wang JG, Imai Y, Vanassche T, Verhamme P, Janssens S, O`Brien E, Maestre GE, Staessen JA, Zhang ZY; International Database on Ambulatory Blood Pressure in Relation to Cardiovascular Outcome Investigators*. Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure. Hypertension. 2021 Jan;77(1):39-48

We hope these complementary multiparametric data along with standard set used in daily practice helps to understand home blood pressure trend andother information they may potentially generate in the future to understand medication effects and patient management.

Terms & Conditions Accepted: YES

Attention:

This electronic pdf file contain information intended for the exclusive use of the individual or entity.